REACT TRAUMA CARE CHECKLIST- PREHOSPITAL/LOCAL EMS

FOR PATIENTS MEETING MAJOR TRAUMA CRITERIA RECORD INTERVENTIONS DONE PRIOR TO ARRIVAL AT YOUR ED SEE BACK FOR FURTHER INSTRUCTIONS

PATIENT'S NAME:									
TODAY'S DATE:	TIME OF ASSESSMENT:								
*PATIENT CONFIDENTIALITY WILL BE MAINTAINED AT ALL TIMES *									
INTERVENTION	NEEDED AND DONE	NEEDED	NEEDED BUT		COMMENTS				
					i santanda (saligue) (de 1806 - Arguni Alsand	energi.			
AIRWAY SECURED (TRACHEA									
INTUBATED)		WAR 127 W. W. C. C. S. W. C.							
				* * * * * * * * * * * * * * * * * * *		CONTROL OF SALES			
CERVICAL SPINE IMMOBILIZED		}							
		in the gar the	1						
OXYGEN DELIVERED AT 100%									
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		(1) 图中国共享的	PER PROPERTY.		Hands			
CHEST DECOMPRESSED									
		A STANSON	#5553 4 Tee	01. (21.634)	nerio grandi il indicatori				
HEMORRHAGE CONTROLLED									
	la ve	re district ne	en bestellen	************	art in Contract	A POST			
VASCULAR ACCESS OBTAINED									
7 TO 10 TO 1	tilteli takspel	Sent and the	Continues of	wick mar	Near Jack Page				
INJURED EXTREMITIES SPLINTED						***			
INJURED EXTREMITES SPEINTED	THE NEW YORK			1.1.2 to 1.00 to					
WOUNDS COVERED									
		30 Sec. 32	A HEAL	1124 262-12	all substitutions	Maller V			
LEVEL OF EMS CERTIFICATION: PLEAS TRANSPORTING THE PATIENT TO YOUR FA EMT EMT-D	CILITY.	HIGHEST L	EVEL OF CERTIF		THE EMS PERSON	NEL			
241	. •••		Civil 2	.					
SQUAD:						·····			
TIMES (MILITARY)									
TIME OF INJURY		Tı	ME OF ED ARR	IVAL					
TIME OF REQUEST FOR TRANSFER TO TR	RAUMA CENTER	т т	IME OF ARRIVAL	AT TRAUMA	CENTER				
INJURIES									
COMMENTS									
DOCUMENTING NURSE:									

Instructions for Completing the Checklist

Prehospital Care

1 . Please complete a checklist for each trauma patient meeting these criteria:

GCS<14 or RR<10 or >29 or PTS<9 or Systolic BP<90 or RTS<11

Pelvic fractures

Flail chest

2 or more proximal long bone fractures

Combination trauma with bums of 10% or inhalation injuries

All penetrating injuries to head, neck, torso, and extremities proximal to elbow and knee

Limb paralysis

Amputation proximal to wrist/ankle

Eiection from automobile

Death in same passenger compartment

Pedestrian thrown or run over

High speed crash: Initial speed >40 mph, Velocity change>20 mph, Auto deformity >20", Intrusion into passenger compartment>12"

Extraction time >20 min.

Falls >20 ft.

Roll over

Auto-pedestrian injury with >5mph impact

Motorcycle crash >20mph or with separation of rider and bike

Age <5 or >55

Known cardiac disease, respiratory disease or psychotics taking medication, insulin dependent

diabetics, cirrhosis, malignancy, obesity or coagulopathy

Any other patient suspected of sustaining major trauma

- 2. Indicators refer to interventions performed prior to ED arrival.
- Please check "needed and done" for each intervention needed and performed.
- 4. Please check "not needed" if an intervention was not needed based on the patient's condition.
- 5. Please check "needed but not done" for each intervention that should have been done based on the patient's condition but that was NOT done.
- 6. The "injured extremities splinted" indicator includes MAST applied for pelvic and/or lower extremities fractures.
- 7. Under the item "times" please list the times indicated if available.
- 8. The injuries section at the bottom is for any information that you can provide about injuries and/or mechanism of injury.
- The comments section at the bottom is for any information that you feel is important in explaining or clarifying checklist responses.
- 10. If the patient is transferred to PCMH Trauma Center, please send this form with other transfer materials or please fax (see front for number) or mail it to REACT Project, ECIPP, Suite 300 BB&T Bldg., Greenville N.C. 27834.

We appreciate your time and help in providing this information.

REACT TRAUMA CARE CHECKLIST-TRAUMA TRANSFERS

TO BE USED ON ALL TRAUMA TRANSFERS TO PCMH TRAUMA CENTER
RECORD INTERVENTIONS DONE PRIOR TO ASSUMPTION OF CARE BY EASTCARE OR PCMH TRAUMA
CENTER

SEE BACK FOR FURTHER INSTRUCTIONS

TODAY'S DATE:	S DATE: TIME OF ASSESSMENT:							
Patient	CONFIDENTIAL	ITY WILL BE MAI	NTAINED AT ALL	TIMES				
INTERVENTION	NEEDED AND DONE	NOT NEEDED	NEEDED BUT NOT DONE	COMMENTS				
AIRWAY SECURED (TRACHEA INTUBATED)	The second secon							
	4 5 7 7 8							
CERVICAL SPINE IMMOBILIZED	Proposition of the second	le de la companya de	eres to spring that the					
				35 36 36 36 36 36 36 36 36 36 36 36 36 36				
OXYGEN DELIVERED AT 100%								
CHEST TUBE INSERTED								
			THE 12					
HEMORRHAGE CONTROLLED								
VASCULAR ACCESS OBTAINED								
	C. C. Santa		ACTION AND AND AND AND AND AND AND AND AND AN					
INJURED EXTREMMES SPLINTED	Services and		Single order of the sale of the street of the sale of					
GASTRIC TUBE INSERTED								
FOLEY CATHETER INSERTED								
WOUNDS COVERED								
TETANUS DOCUMENTED			10 20 20 20					
			A 10 10 10 10 10 10 10 10 10 10 10 10 10					
ANTIBIOTICS GIVEN	<u> </u>							
ADDITIONAL INTERVENTIONS AT REFERRIN	G HOSPITAL	•						
Times (MILITARY) Time of Injury		Time	E OF ARRIVAL A	AT REFERRING ED				
TIME OF REQUEST FOR TRANSFER TO TRAUMA CENTER TIME OF ARRIVAL AT TRAUMA CENTER								
INJURIES								
COMMENTS								
DOCUMENTING NURSE:								
		DOCUMEN.	וווים וזטרושב:					

Instructions for Completing the Checklist

Trauma Transfers

- 1. Please complete a checklist for each trauma patient transferred from another facility.
- 2. Indicators refer to interventions done prior to assumption of care by Eastcare or PCMH Trauma Center.
- 3. Please check "needed and done" for each intervention needed and performed.
- 4. Please check "not needed" if an intervention was not needed based on the patient's condition.
- 5. Please check 'needed but not done" for each intervention that should have been done based on the patient's condition but that was **NOT** done.
- 6. The "hemomhage controlled" indicator includes operative intervention for internal hemorrhage control as well as measures to control external hemorrhage. Please document operative procedures under the "comments" section,
- 7. The "injured extremities splinted" indicator includes MAST applied for pelvic and/or lower extremities fractures.
- 8. The additional interventions section is for listing interventions other than those already identified.
- 9. Under the item "times" please list the times indicated if available.
- 10. The injuries section at the bottom is for any information that you can provide about injuries and/or mechanism of injury.
- 11. The comments section at the bottom is for any information that you feel is important in explaining or clarifying checklist responses.

We appreciate your time and help in providing this information.